# synerlogic Carclin Premax Extreme

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Issue date: 12/17/2020 Revision date: 12/16/2020 Supersedes version of: 2/24/2020 Version: 1.1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Product name

: Carclin Premax Extreme

: Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Function or use category : Professional use : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 18-22 6921 RT Duiven - Nederland T +31 (0) 26 - 3186700

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

2.2. Label elements	
Labelling according to Regulation (EC) No. 1	272/2008 [CLP]
Hazard pictograms (CLP)	GHS05
Signal word (CLP)	: Danger
Contains	<ul> <li>Sodium metasilicate pentahydrate; Tetrasodium ethylene diamine tetraacetate; C9-11</li> <li>Alcoholethoxylaat; Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden; sodium hydroxide;</li> <li>caustic soda; Potassium hydroxide</li> </ul>
Hazard statements (CLP)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	<ul> <li>P234 - Keep only in original packaging.</li> <li>P260 - Do not breathe vapours, gas, mist, fume, spray, dust.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a doctor, a POISON CENTER.</li> <li>P501 - Dispose of contents and container to Collection point.</li> </ul>

#### 2.3. Other hazards

No additional information available

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	5 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
C9-11 Alcoholethoxylaat	(CAS-No.) 68439-46-3 (REACH-no) Polymer	< 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium xylenesulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56	< 5	Eye Irrit. 2, H319
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	< 5	Skin Corr. 1A, H314
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Aminen, C12-14 (even genummerd)-alkyldimethyl, N- oxiden	(CAS-No.) 85408-49-7 (REACH-no) 01-2119490061-47	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sodium metasilicate pentahydrate	(CAS-No.) 10213-79-3 (EC-No.) 229-912-9 (REACH-no) 01-2119449811-37	< 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
1-methoxy-2-propanol; monopropylene glycol methyl ether	(CAS-No.) 107-98-2 (EC-No.) 203-539-1 (EC Index-No.) 603-064-00-3	< 5	Flam. Liq. 3, H226 STOT SE 3, H336
Sodium nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9 (REACH-no) 01-2119471836-27	< 5	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400
Isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	< 5	Flam. Liq. 3, H226

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C ≤ 100) Skin Corr. 1A, H314
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing. Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	<ul> <li>Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Symptoms/effects after ingestion

: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance	or mixture	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cl	eaning up	
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>	

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.	
Incompatible materials	: Metals.	

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

#### Isopentyl acetate (123-92-2)

EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
IOEL STEL	540 mg/m <sup>3</sup>	
Netherlands - Occupational Exposure Limits		
MAC-15 (OEL STEL) 530 mg/m <sup>3</sup>		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Sodium nitrite (7632-00-0)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	2 mg/m <sup>3</sup>	
Long-term - systemic effects, inhalation	2 mg/m³	
PNEC (Water)	PNEC (Water)	
PNEC aqua (freshwater)	0.0054 mg/l	
PNEC aqua (marine water)	0.00616 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.0195 mg/kg dwt	
PNEC sediment (marine water)	0.223 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.000733 mg/kg dwt	

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	2.8 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	1.7
Long-term - systemic effects,oral	28 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	2.8 mg/l
PNEC aqua (marine water)	0.28 mg/l

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC (Sediment)	
PNEC sediment (freshwater) 0.95 mg/kg dwt	
PNEC (STP)	
PNEC sewage treatment plant	57 mg/l

Sodium xylenesulphonate (1300-72-7)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	7.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	53.6 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	3.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	13.2 mg/m³
Long-term - systemic effects, dermal	3.8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.23 mg/l
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden (85408-49-7)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	11 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	15.5 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.44 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	3.825 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	5.5 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0335 mg/l	
PNEC aqua (marine water)	0.0335 mg/l	
PNEC (Sediment)	PNEC (Sediment)	
PNEC sediment (freshwater)	5.24 mg/kg dwt	
PNEC sediment (marine water)	0.524 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1.02 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	11.1	
PNEC (STP)	PNEC (STP)	
PNEC sewage treatment plant	24 mg/l	

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium metasilicate pentahydrate (10213-79-3)		
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1.49 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	6.22 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.74 mg/kg bodyweight/day	
Long-term - systemic effects, dermal	0.74 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	7.5 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	7.5 mg/l	
PNEC (STP)		
PNEC sewage treatment plant	1000 mg/l	

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:			
Safety glasses			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet, Fine dust, Dust	With side shields	EN 166

#### 8.2.2.2. Skin protection

Skin and body protection:					
Wear suitable protective	clothing				
Hand protection:					
protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374

Nitrile rubber (NBR)

Reusable gloves

> 0,31 mm

6 (> 480 minutes)

EN ISO 374

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Other skin protection Materials for protective clothing:		
Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

#### 8.2.2.3. Respiratory protection

Respiratory protection:			
In case of insufficient ventilation, wear	suitable respiratory equipment		
Device	Filter type	Condition	Standard
Reusable half mask	Туре Р2, Туре Р3	Protection for Solid particles	EN 149

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemi	cal properties
Physical state	: Liquid
Colour	: Yellow.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 12.4
pH solution	: 3%
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 23 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.14 g/cm <sup>3</sup>
Solubility	: completely miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

metals.

**10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Sodium nitrite (7632-00-0)	
LD50 oral rat	180 mg/kg
Tetrasodium ethylene diamine tetraacetate (64-02-8	3)
LD50 oral	1780 mg/kg bodyweight
Sodium xylenesulphonate (1300-72-7)	
LD50 oral	> 7000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Aminen, C12-14 (even genummerd)-alkyldimethyl, N	I-oxiden (85408-49-7)
LD50 oral	1064 mg/kg
LD50 dermal rat	> 2000 mg/kg
Isopentyl acetate (123-92-2)	
LD50 oral	16600 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
Sodium metasilicate pentahydrate (10213-79-3)	
LD50 oral rat	1152 – 1349 mg/kg

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 2.06 mg/l/4h

C9-11 Alcoholethoxylaat (68439-46-3)	
LD50 oral rat	300 – 2000 mg/kg
LD50 dermal	2000 – 5000 mg/kg

Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.4
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.4
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Sodium metasilicate pentahydrate (10213-79-3)	
STOT-single exposure	May cause respiratory irritation.

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Tetrasodium ethylene diamine tetraacetate (64-02-8)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	

Aspiration hazard

: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Before neutralisation, the product may represent a danger to aquatic organisms. : Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Sodium nitrite (7632-00-0)	

LC50 - Fish [1]	0.54 – 26.3 mg/l (Salmo gairdneri)
LC50 - Other aquatic organisms [1]	4.93 mg/l
EC50 - Crustacea [1]	15.4 mg/l

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

EC50 - Other aquatic organisms [1]	421 mg/l (Protozoa)
EC50 72h - Algae [1]	> 100 mg/l (Scenedesmus subspicatus)

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 - Fish [1]	> 121 mg/l
EC50 - Other aquatic organisms [1]	625 mg/l waterflea
EC50 - Other aquatic organisms [2]	2.77 mg/l

Sodium xylenesulphonate (1300-72-7)	
EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea

Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden (85408-49-7)	
LC50 - Fish [1]	2.67 – 3.46 mg/l
EC50 - Crustacea [1]	3.1 mg/l
EC50 72h - Algae [1]	0.1428 mg/l

Isopentyl acetate (123-92-2)	
LC50 - Fish [1]	> 22 mg/l
EC50 - Other aquatic organisms [1]	42 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l

Sodium metasilicate pentahydrate (10213-79-3)	
LC50 - Fish [1]	210 mg/l (Brachydanio Rerio)
EC50 - Crustacea [1]	1700 mg/l (Daphnia Magna)

C9-11 Alcoholethoxylaat (68439-46-3)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l (Daphnia magna)
EC50 72h - Algae [1]	1 – 10 mg/l (Skeletonema costatum)

sodium hydroxide; caustic soda (1310-73-2)		
EC50 - Crustacea [1]	40.4 mg/l	
Potassium hydroxide (1310-58-3)		
LC50 - Fish [1]	80 mg/l	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
Tetrasodium ethylene diamine tetraacetate (64-02-8)		
Partition coefficient n-octanol/water (Log Pow) -0.43		

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium xylenesulphonate (1300-72-7)	Sodium xylenesulphonate (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12		
Aminen, C12-14 (even genummerd)-alkyldimethyl, N	I-oxiden (85408-49-7)		
Partition coefficient n-octanol/water (Log Pow)	< 2.7		
Isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	3.18		
Potassium hydroxide (1310-58-3)	Potassium hydroxide (1310-58-3)		
Partition coefficient n-octanol/water (Log Pow)	0.75		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14: Transport information**

#### In accordance with ADR

14.1 UN number	
UN-No. (ADR)	: UN 1719
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Transport document description (ADR)	<ul> <li>CAUSTIC ALKALI LIQUID, N.O.S.</li> <li>UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Disodium trioxosilicate), 8, II, (E)</li> </ul>
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

14.4. Packing group	
Packing group (ADR)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions	: TP2, TP27
(ADR)	
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	<b>80</b> <b>1719</b>
Tunnel restriction code (ADR)	: E
EAC code	: 2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Germany		
Water hazard class (WGK)	:	WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands		
ABM category	:	B(3) - hazardous for aquatic organisms
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige	:	None of the components are listed
stoffen – Borstvoeding		
NIET-limitatieve lijst van voor de voortplanting giftige	:	None of the components are listed
stoffen – Vruchtbaarheid		

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed stoffen – Ontwikkeling

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ATA	International Air Transport Association	
MDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
.D50	Median lethal dose	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

ull text of H- and EUH-statements:		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Met. Corr. 1	Corrosive to metals, Category 1	
Ox. Sol. 2	Oxidising Solids, Category 2	

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.