

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Issue date: 1/11/2022 Revision date: 1/11/2022 Supersedes version of: 7/2/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Product name : Carclin Degreaser UFI : RCX0-V0A6-S00M-WC58

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

: Cleaning/washing agents and additives Function or use category

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 18-22 6921 RT Duiven Nederland T+31 (0) 26 - 3186700

PNSHEQ@synerlogic.nl

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| Malta | Medicines & Poisons Info Office | Mater Dei Hospital MSD 2090 Msida | +356 2545 6508 | |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER London | +44 20 7188 7188 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314 H318 Serious eye damage/eye irritation, Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Contains : Sodium metasilicate pentahydrate, Tetrasodium ethylene diamine tetraacetate, C9-11

Alcoholethoxylaat

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe vapours, gas, mist, fume, spray, dust.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|--------|---|
| C9-11 Alcoholethoxylaat | CAS-No.: 68439-46-3 REACH-no: Polymer | 5 – 10 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Sodium xylenesulphonate | CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350-56 | 5 – 10 | Eye Irrit. 2, H319 |
| Tetrasodium ethylene diamine tetraacetate | CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762-27 | < 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373 |
| Sodium metasilicate pentahydrate | CAS-No.: 10213-79-3 EC-No.: 229-912-9 REACH-no: 01-2119449811-37 | < 5 | Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| Sodium nitrite | CAS-No.: 7632-00-0 EC-No.: 231-555-9 REACH-no: 01-2119471836-27 | < 5 | Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400 |

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 4: First aid measures

First-aid measures after eye contact

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or

concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing. Take

off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get

medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a doctor

if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

 $dust/fume/gas/mist/vapours/spray. \ Avoid \ breathing \ dust/fume/gas/mist/vapours/spray.$

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

1/11/2022 (Revision date) EN (English) 3/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| | | |
|--|-------------------------|--------------------------------------|
| etrasodium ethylene diamine tetraacetate (64-02-8) | | |
| DNEL/DMEL (Workers) | | |
| Acute - local effects, inhalation | 2.8 mg/m ³ | |
| DNEL/DMEL (General population) | | |
| Acute - systemic effects, inhalation | 1.7 | |
| Long-term - systemic effects,oral | 28 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 2.8 mg/l | |
| PNEC aqua (marine water) | 0.28 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 0.95 mg/kg dwt | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 57 mg/l | |
| Sodium metasilicate pentahydrate (10213-79-3) DNEL/DMEL (Workers) | | |
| | | Long-term - systemic effects, dermal |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

| Sodium metasilicate pentahydrate (10213-79-3) | | |
|---|---------------------------|--|
| Long-term - systemic effects, inhalation | 6.22 mg/m ³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 0.74 mg/kg bodyweight/day | |
| Long-term - systemic effects, dermal | 0.74 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 7.5 mg/l | |
| PNEC aqua (marine water) | 1 mg/l | |
| PNEC aqua (intermittent, freshwater) | 7.5 mg/l | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 1000 mg/l | |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

| Eye protection | | | |
|----------------|--------------------------|-------------------|----------|
| Туре | Field of application | Characteristics | Standard |
| Safety glasses | Fine dust, Dust, Droplet | With side shields | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves

| Hand protection | | | | | |
|-----------------|------------------------|-------------------|----------------|-------------|------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Reusable gloves | Neoprene rubber (HNBR) | 6 (> 480 minutes) | 0,25 mm | | EN ISO 374 |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | > 0,31 mm | | EN ISO 374 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

| Other skin protection Materials for protective clothing | | |
|---|------------------|----------|
| Condition | Material | Standard |
| Good resistance: | Synthetic rubber | EN 13034 |

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

| Respiratory protection | | | |
|------------------------|------------------|--------------------------------|----------|
| Device | Filter type | Condition | Standard |
| Reusable half mask | Type P2, Type P3 | Protection for Solid particles | EN 149 |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: brown.Odour: characteristic.Odour threshold: No data available

pH : 11.5 pH solution : 3 %

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : $> 100 \, ^{\circ}\text{C}$

Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): Not applicableVapour pressure: 23 hPa

Relative vapour density at 20 °C : No data available Relative density : No data available Density : 1.07 g/cm³

Solubility : completely miscible.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium nitrite (7632-00-0)

LD50 oral rat 180 mg/kg

Tetrasodium ethylene diamine tetraacetate (64-02-8)

D50 oral 1780 mg/kg bodyweight

Sodium xylenesulphonate (1300-72-7)

| LD50 oral | > 7000 mg/kg bodyweight |
|-------------|-------------------------|
| LD50 dermal | > 2000 mg/kg bodyweight |

Sodium metasilicate pentahydrate (10213-79-3)

| LD50 oral rat | 1152 – 1349 mg/kg |
|-----------------------|-------------------|
| LD50 dermal rat | > 5000 mg/kg |
| LC50 Inhalation - Rat | > 2.06 mg/l/4h |

C9-11 Alcoholethoxylaat (68439-46-3)

| 25 11 Novince (100 105 10 5) | |
|------------------------------|-------------------|
| LD50 oral rat | 300 – 2000 mg/kg |
| LD50 dermal | 2000 – 5000 mg/kg |

Skin corrosion/irritation : Causes severe skin burns.

pH: 11.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 11.5

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Sodium metasilicate pentahydrate (10213-79-3)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

Tetrasodium ethylene diamine tetraacetate (64-02-8)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term

acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

2.77 mg/l

| odium nitrite (7632-00-0) | |
|---|--------------------------------------|
| LC50 - Fish [1] | 0.54 – 26.3 mg/l (Salmo gairdneri) |
| LC50 - Other aquatic organisms [1] | 4.93 mg/l |
| EC50 - Crustacea [1] | 15.4 mg/l |
| EC50 - Other aquatic organisms [1] | 421 mg/l (Protozoa) |
| EC50 72h - Algae [1] | > 100 mg/l (Scenedesmus subspicatus) |
| Tetrasodium ethylene diamine tetraacetate (64-02-8) | |
| LC50 - Fish [1] | > 121 mg/l |
| EC50 - Other aquatic organisms [1] | 625 mg/l waterflea |

| Sodium xylenesulphonate (1300-72-7) | | |
|-------------------------------------|------------------------------------|-----------------------|
| | EC50 - Other aquatic organisms [1] | > 1020 mg/l waterflea |

| Sodium metasilicate pentahyd | rate (10213-79-3) |
|------------------------------|-------------------|
| I C50 - Fish [1] | |

| LC50 - Fish [1] | 210 mg/l (Brachydanio Rerio) |
|----------------------|------------------------------|
| EC50 - Crustacea [1] | 1700 mg/l (Daphnia Magna) |

C9-11 Alcoholethoxylaat (68439-46-3)

EC50 - Other aquatic organisms [2]

| LC50 - Fish [1] | 1 – 10 mg/l |
|----------------------|------------------------------------|
| EC50 - Crustacea [1] | 1 – 10 mg/l (Daphnia magna) |
| EC50 72h - Algae [1] | 1 – 10 mg/l (Skeletonema costatum) |

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)

Partition coefficient n-octanol/water (Log Pow) -0.43

Sodium xylenesulphonate (1300-72-7)

Partition coefficient n-octanol/water (Log Pow) -3.12

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR

14.1 UN number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Disodium trioxosilicate), 8, II, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8



14.4. Packing group

Packing group (ADR) : II

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Special provisions (ADR): 274Limited quantities (ADR): 11Excepted quantities (ADR): E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Orange plates :

80 1719

Tunnel restriction code (ADR) : E EAC code : 2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(3) - hazardous for aquatic organisms SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen - Vruchtbaarheid : None of the components are listed SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|--|----------|----------|
| Section | Changed item | Change | Comments |
| | Revision date | Added | |
| | Supersedes version of | Modified | |
| 3 | Composition/information on ingredients | Modified | |

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| vPvB | Very Persistent and Very Bioaccumulative |

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H272 | May intensify fire; oxidiser. |
| H290 | May be corrosive to metals. |
| H301 | Toxic if swallowed. |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| Н335 | May cause respiratory irritation. |
| Н373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| Met. Corr. 1 | Corrosive to metals, Category 1 |
| Ox. Sol. 2 | Oxidising Solids, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.