## synerlogic Carclin Shampoo MultiPlus

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010 Issue date: 1/11/2022 Revision date: 1/11/2022 Supersedes version of: 2/18/2020 Version: 2.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Product name UFL

- : Carclin Shampoo MultiPlus
- : T3W0-80Y8-6006-07E9

: Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Function or use category : Professional use

: Cleaning/washing agents and additives

### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 18-22 6921 RT Duiven Nederland T +31 (0) 26 - 3186700 PNSHEQ@synerlogic.nl

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Corrosive to metals, Category 1	H290
Serious eye damage/eye irritation, Category 1	H318
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes serious eye damage.

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	
	GHS05
Signal word (CLP)	: Danger
Contains	: Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Hazard statements (CLP)	: H290 - May be corrosive to metals.
	H318 - Causes serious eye damage.
Precautionary statements (CLP)	: P280 - Wear protective clothing/eye protection/face protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER, a doctor.
	P390 - Absorb spillage to prevent material damage.

#### 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium-p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411-37	10 - 20	Eye Irrit. 2, H319
Poly(oxy-1,2-ethanediyl), .alphatridecylomegahydroxy- , branched	CAS-No.: 69011-36-5 REACH-no: Polymer	< 5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68585-34-2 EC-No.: 500-223-8 REACH-no: 01-2119488639-16	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.			
First-aid measures after skin contact	: Wash skin with plenty of water.			
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.			
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects after eye contact	: Serious damage to eyes.			

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.			
5.2. Special hazards arising from the substance or mixture				
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Advice for firefighters				
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containment a	and cleaning up			

0.5. Methods and material for containin	
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product
7.2. Conditions for safe storage, incluc	ling any incompatibilities
Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Metals.
7.3. Specific end use(s)	
No additional information available	

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Protective clothing. Safety glasses. Gloves.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

# Fype Field of application Characteristics Standard Safety glasses Droplet, Dust, Fine dust With side shields EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Other skin protection Materials for protective clothing		
Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection					
Device	Filter type	Condition	Standard		
Reusable half mask	Туре Р2, Туре Р3	Protection for Solid particles, Protection for Liquid particles	EN 149		

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: >100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 11
pH solution	: 1%
Viscosity, kinematic	: Not available
Solubility	: completely miscible.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1.155
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Particle specific surface area	:	Not applicable
Particle dustiness	:	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

metals.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
Sodium-p-cumenesulphonate (15763-76-	5)	
LD50 oral rat	> 7000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Poly(oxy-1,2-ethanediyl), .alphatridecylomegahydroxy-, branched (69011-36-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Skin corrosion/irritation	: Not classified pH: 11	
Serious eye damage/irritation	: Causes serious eye damage. pH: 11	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

STOT-single exposure	:	Not classified
STOT-repeated exposure		Not classified
STOT-Tepealeu exposure	·	NOT Classified
Aspiration hazard	:	Not classified
	-	

#### 11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic)	<ul> <li>The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.</li> <li>Not classified</li> <li>Not classified</li> </ul>
Poly(oxy-1,2-ethanediyl), .alphatridecylome	gahydroxy-, branched (69011-36-5)
LC50 - Fish [1]	1 – 10 (Leuciscus idus)
EC50 - Crustacea [1]	1 – 10 (Daphnia magna)
EC50 72h - Algae [1]	1 – 10 mg/l (Scenedesmus subspicatus)
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information		
In accordance with ADR		
14.1. UN number or ID number		
UN-No. (ADR)	: UN 1719	

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.2. UN proper shipping name	
Proper Shipping Name (ADR) Transport document description (ADR)	<ul> <li>CAUSTIC ALKALI LIQUID, N.O.S.</li> <li>UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate, sodium hydroxide), 8, II, (E)</li> </ul>
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8 :
14.4. Packing group	
Packing group (ADR)	: 11
14.5. Environmental hazards	
Dangerous for the environment Other information	: No : No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	: T11 : TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	80
	1719
Tunnel restriction code (ADR)	1/19 : E

14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list  $\geq$  0,1 % / SCL Contains no REACH Annex XIV substances

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

#### Germany

1	
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Switzerland	
Storage class (LK)	: LK 8 - Corrosive materials
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
РВТ	Persistent Bioaccumulative Toxic
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.